

## DAFTAR PUSTAKA

1. Zhou N, Chen H, Xi J, Yao D, Zhou Z, Tian Y, et al. Biochars with excellent Pb (II) adsorption property produced from fresh and dehydrated banana peels via hydrothermal carbonization. *Bioresour Technol.* 2017;165:221–230.
2. Sanjaya AS, Agustine RP. Studi kinetika adsorpsi Pb menggunakan arang aktif dari kulit pisang. *Konversi.* 2015;4(1):17–24.
3. Ahmad T, Danish M. Prospects of banana waste utilization in wastewater treatment : A review. *J Environ Manage.* 2018;206:330–348.
4. Ali A. Removal of Mn (II) from water using chemically modified banana peels as efficient adsorbent. *Environ Nanotechnology, Monit Manag.* 2017;7:57–63.
5. Arifiyana D, Devianti VA. Biosorpsi logam besi (Fe) dalam media limbah cair artifisial menggunakan biosorben kulit pisang kepok (*Musa acuminate*). *J Kim Ris.* 2020;5(1):1–8.
6. Anwar J, Shafique U, Salman M, Dar A, Anwar S. Bioresource technology removal of Pb (II) and Cd (II) from water by adsorption on peels of banana. *Bioresour Technol.* 2010;101(6):1752–1755.
7. Ali A, Saeed K, Mabood F. Removal of chromium (VI) from aqueous medium using chemically modified banana peels as efficient low-cost adsorbent. *Alexandria Eng J.* 2016;55(3):2933–2942.
8. King P, Srinivas P, Kumar YP, Prasad VSRK. Sorption of copper (II) ion from aqueous solution by *Tectona grandis* l.f. (teak leaves powder). *J Hazard Mater.* 2006;B136:560–566.
9. Tsoi M, Cheung C, Cheung T, Yung M. Continual decrease in blood lead level in americans : United States National Health Nutrition and Examination Survey 1999-2014. *Am J Med.* 2016;129(11):1213–1218.
10. Demirbas E, Kobya M, Sulak MT. Adsorption kinetics of a basic dye from aqueous solutions onto apricot stone activated carbon. *Bioresour Technol.* 2008;99:5368–5373.
11. Shenwari KA, Chitdeshwari T, Avudainayagam S. Removal of lead and cadmium from aqueous solutions by banana peel biochar. *Madras Agric J.* 2019;106(1–3):45–53.
12. He J, Chen JP. A comprehensive review on biosorption of heavy metals by algal biomass : Materials, performances, chemistry, and modelling simulation tools. *Bioresour Technol.* 2014;160:67–78.
13. Deshmukh PD, Khadse GK, Shinde VM, Labhasetwar P. Cadmium removal

- from aqueous solutions using dried banana peels as an adsorbent : Kinetics and equilibrium modeling. *J Bioremediation Biodegrad.* 2017;8(3):1–7.
14. Mohamed RM, Hashim N, Abdullah S. Adsorption of heavy metals on banana peel bioadsorbent. *J Phys Conf Ser.* 2019;1532(010214):1–5.
  15. Putra IPKA, Narwati, Hermiyanti P, Trisyanti H. Bioadsorben kulit pisang kepok (*Musa acuminate L.*) dalam menurunkan kadar timbal (Pb) pada larutan Pb. *J Penelit Kesehat Suara Forikes.* 2019;10(1):1–7.
  16. Abdulfatai J, Saka AA, Afolabi AS, Michael O. Development of adsorbent from banana peel for wastewater treatment. *Appl Mech Mater.* 2013;248:310–315.
  17. Indonesia BPS. Statistik Indonesia 2017. 1101001st ed. Statistik SP dan K, editor. Indonesia: Badan Pusat Statistik Indonesia; 2017. 260–262 p.
  18. Prabawati S, Suyanti, Setyabudi DA. Teknologi pascapanen dan teknik pengolahan. Bogor: Badan Penelitian dan Pengembangan Pertanian; 2008. 8 p.
  19. Ambarita MDY, Bayu ES, Setiado H. Identifikasi karakter morfologis pisang (*Musa spp.*) di Kabupaten Deli Serdang. *J Agroekoteknologi.* 2015;4(1):1911–1924.
  20. Tjitrosoepomo G. Taksonomi tumbuhan (*Schizophyta*, *Thallophyta*, *Bryophyta*, *Pteridophyta*). Yogyakarta: Gajahmada University Press; 1991.
  21. Kurhade A, Waghmare J, Arya SS. Utilization and application of banana peel. *Food Marketing & Technology.* 2014;20–23.
  22. Kanyal M, Bhatt AA. Removal of heavy metals from water (Cu and Pb) using household waste as an adsorbent. *J Bioremediation Biodegrad.* 2015;06(01):1–6.
  23. Hartati R, Riyantini I, Djunaedi A. Pemantauan logam-logam berat pada kerang-kerangan yang dihasilkan dari perairan Pantai Utara Gunung Muria. Semarang: PPLH Undip; 1993. 38 p.
  24. Manahan SE. Environmental chemistry in: complexation by humic substances. 6th ed. USA: CRC Press; 1994.
  25. Darmayanti, Rahman N, Supriadi. Adsorpsi timbal (Pb) dan Zink (Zn) dari larutannya menggunakan arang hayati (biocharcoal) kulit pisang kepok berdasarkan variasi pH. *J Akad Kim.* 2012;1(4):159–165.
  26. Republik Indonesia MK. Peraturan menteri kesehatan tentang syarat-syarat dan pengawasan kualitas air. 416/MEN.KES/PER/IX/1990 Indonesia; 1990.
  27. Darmono. Logam dalam sistem biologi makhluk hidup. Jakarta: UI Press;

1995. 5 p.
28. Suryati. Skripsi analisa kandungan logam berat Pb dan Cu dengan metode SSA (Spektrofotometri Serapan Atom) terhadap ikan baung (*Hemibagrus nemurus*) di Sungai Kampar Kanan Desa Muara Takus Kecamatan XIII Koto Kampar Kabupaten Kampar. Universitas Islam Negeri Sultan Syarif Kasim Riau; 2011.
  29. Bassett J, Denney RC, Jeffery GH, Mendham J. Buku ajar vogel kimia analisis kuantitatif anorganik. Jakarta: Penerbit Buku Kedokteran EGC; 1994.
  30. Syauqiah I, Amalia M, Kartini HA. Analisis variasi waktu dan kecepatan pengaduk pada proses adsorpsi limbah logam berat dengan arang aktif. Info Tek. 2011;12(1):11–20.
  31. Skoog DA, Donald MW, James H, Stanley RC, Crouch RS. Fundamentals of analytical chemistry. South Melbourne: Brooks Cole; 2004.
  32. Sumardi. Spektrofotometri serapan atom. Bandung: Pusat Penelitian dan Pengembangan Kimia Terapan Lembaga Ilmu Pengetahuan Indonesia; 1996. 1 p.
  33. Susilawati. Skripsi studi biosorpsi ion logam Cd (II) oleh biomassa alga hijau yang diimobilisasi pada silika gel. Universitas Indonesia; 2009.
  34. Arninda A, Sjahrul M, Zakir M. Adsorpsi ion logam Pb(II) dengan menggunakan kulit pisang kepok (*Musa paradisiaca* Linn). Indones Chim Acta. 2014;7(2).
  35. Wardani GA, Wulandari WT. Pemanfaatan limbah kulit pisang kepok (*Musa acuminate*) sebagai biosorben ion timbal (II). J Kim Val. 2018;4(2):143–148.
  36. Patracia D, Moelyaningrum AD, Pujiati RS, Jember U, Timur J. Arang aktif kulit pisang kepok dalam mengikat logam berat timbal. J Berk Kesehat. 2019;5(1):18–22.
  37. Sirilert M, Maikrang K. Adsorption isotherm of some heavy metals in water on unripe and ripe peel of banana. Naresuan Univ J Sci Technol. 2018;26(1):128–141.
  38. Ince M, Ince OK, Ayhan NK. Nickel, lead, and cadmium removal using a low-cost adsorbent - Banana peel. At Spectrosc. 2016;37(3):125–130.
  39. Wan Ngah WS, Hanafiah MAKM. Removal of heavy metal ions from wastewater by chemically modified plant wastes as adsorbents: A review. Bioresour Technol. 2008;99(10):3935–3948.
  40. Timbal(II) nitrat MSDS - 107398 - Merck [Internet]. [cited 2020 Oct 18].

41. Tabel periodik unsur kimia : Sistem, sifat dan gambar HD [Internet]. [cited 2020 Oct 18].
42. Setiawati E, Suroto. Pengaruh bahan aktivator pada pembuatan karbon aktif tempurung kelapa. *J Ris Ind Has Hutan.* 2010;2(1):21–26.
43. Dabrowski A, Podkoscielny P, Hubicki Z, Barczak M. Adsorption of phenolic compounds by activated carbon (a critical review). *Chemosphere.* 2005;58(8):1049–1070.
44. Li W, Zhang L, Peng J, Li N, Zhu X. Preparation of high surface area activated carbons from tobacco stems with K<sub>2</sub>CO<sub>3</sub> activation using microwave radiation. *Ind Crops Prod.* 2008;27(3):341–347.
45. Dania Paramita RW. Metode penelitian kuantitatif. Lumajang: STIE Widya Gama Lumajang; 2015. 130–137 p.
46. Sunjoyo, Setiawan R, Carolina V, Magdalena N, Kurniawan A. Aplikasi SPSS untuk smart riset (Program IBM SPSS 21.0). Bandung: Alfabeta; 2013. 119–127 p.
47. Tanggebono ISA, Tiwow VMA, Jura MR. Kondisi optimum adsorpsi arang hayati dari kulit pisang raja (*Musa X paradisiaca* L.) terhadap logam timbal (Pb) dan tembaga (Cu). *J Akad Kim.* 2018;7(2):55.
48. Mohd Salim R, Khan Chowdhury AJ, Rayathulhan R, Yunus K, Sarkar MZI. Biosorption of Pb and Cu from aqueous solution using banana peel powder. *Desalin Water Treat* [Internet]. 2015;57(1):1–12.
49. Jena S, Sahoo RK. Removal of Pb(II) from aqueous solution using fruits peel as a low cost adsorbent. *Int J Sci Eng Technol.* 2017;5(1):5–13.
50. Padmavathy KS. A study on effects of pH, adsorbent dosage, time, initial concentration and adsorption isotherm study for removal of hexavalent chromium (Cr(IV)) from wastewater by magnetic nanoparticles. *J Procedia Technol.* 2016;24:585–594.
51. Boota R, Bhaiti HN, Hanif MA. Removal of Cu(II) and Zn(II) using lignocellulosic fiber derived from *Citrus reticulata* (Kinnow) waste biomass. *Sep Sci Technol.* 2009;44(16):4000–4022.
52. Aisyahlika SZ, Firdaus ML, Elvia R. Kapasitas adsorpsi arang aktif cangkang bintaro (*Cerbera odollam*) terhadap zat warna sintetis *Reactive Red-120* dan *Reactive Blue-198*. *J Pendidik dan Ilmu Kim.* 2018;2(2):148–155.
53. Gong R, Ding Y, Liu H, Chen Q, Liu Z. Lead biosorption and desorption by intact and pretreated spirulina maxima biopmass. *J Chemosph.* 2005;58(1):125–130.

54. Massocatto CL, Paschoal EC, Buzinaro N, Oliveria TF, Tarley CRT, Caetano J, et al. Preparation and evaluation of kinetics and thermodynamics studies of lead adsorption onto chemically modified banana peels. Desalin Water Treat. 2013;51(28–30):5682–5691.