

DAFTAR PUSTAKA

1. Kolarsick PAJ. *Anatomy and Physiology of the Skin*. 2011;1–11.
2. Amirlak B, Editor C, Caputy GG. *Skin Anatomy*. 2017;1–9.
3. Soebroto C. Manifestasi dermatologis pada pasien diabetes melitus
MANIFESTASI DERMATOLOGIS PADA PASIEN DIABETES
MELITUS TINJAUAN PUSTAKA. *Damianus J Med*. 2011;10(3):171–6.
4. Nelson JL, Mowad CM. Allergic Contact Dermatitis Patch Testing Beyond the TRUE Test. *J Clin Aesthet Dermatol*. 2010;3(10):4.
5. Alfira A. *FRAKSI AKTIF KULIT BATANG SINTOK (Cinnamomum sintoc Blume)*. [Jakarta]: UIN Syarif Hidayatullah; 2014.
6. Rahayu S, Kurniasih N, Amalia V. Ekstraksi Dan Identifikasi Senyawa Flavonoid Dari Limbah Kulit Bawang Merah Sebagai Antioksidan Alami. *al-Kimiya*. 2015;2(1):1–8.
7. Sen S, Chakraborty R. The role of antioxidants in human health. *ACS Symp Ser*. 2011;1083:1–37.
8. Mishra K, Ojha H, Chaudhury NK. Estimation of antiradical properties of antioxidants using DPPH- assay: A critical review and results. *Food Chem [Internet]*. 2012;130(4):1036–43. Available from: <http://dx.doi.org/10.1016/j.foodchem.2011.07.127>
9. Dr. Retno I.S Tranggono SK. *Buku Pegangan Ilmu Kosmetik*. Jakarta: Gramedia; 2007. p. 3–7.
10. Alonso C, Rubio L, Touriño S, Martí M, Barba C, Fernández-Campos F, et al. Antioxidative effects and percutaneous absorption of five polyphenols. *Free Radic Biol Med [Internet]*. 2014;75:149–55. Available from: <http://dx.doi.org/10.1016/j.freeradbiomed.2014.07.014>
11. Pinnell SR, Yang H, Omar M, Riviere NM, DeBuys H V., Walker LC, et al. Topical L-ascorbic acid: Percutaneous absorption studies. *Dermatologic Surg*. 2001;27(2):137–42.
12. Haerani A, Chaerunisa A, Yohana, Subarnas A. Artikel Tinjauan: Antioksidan Untuk Kulit. *Farmaka, Univ Padjadjaran, Bandung*. 2018;16(2):135–51.
13. Nurjana, Abdullah A, Apriandi A. *AKTIVITAS ANTIOKSIDAN DAN KOMPONEN BIOAKTIF KEONG IPONG-IPONG (Fasciolaria salmo)*
Antioxidant Activity and Bioactive Compound of Ipong-Ipong Snail (*Fasciolaria salmo*). *J Pengolah Has Perikan Indones*. 2011;XIV(1):22–9.
14. Winarsi H. *Antioksidan alami dan radikal bebas: Potensi dan aplikasi dalam kesehatan*. 2007.
15. Montenegro L. Nanocarriers for skin delivery of cosmetic antioxidants. *J Pharm Pharmacogn Res*. 2014;2(4):73–92.

16. Kapoor, P.; Kapoor AK. Coenzyme Q10 - A novel molecule. *Journal, Indian Acad Clin Med.* 2013;14:37–45.
17. Deapsari F. effectiveness Ubiquinone (Q10) Nanoemulsion as Delivery Systems Compared with Emulsion as Anti-Aging Cosmetics (using Olive Oil as Oil Phase). 2016;10.
18. bophitiya & madjudith 2014. No Title. 2018;
19. Res JR, Nayik GA, Majid I, Gull A, Muzaffar K. *Rice Research : Open Access Rice bran oil , the Future Edible Oil of India : A mini Review.* 2015;3(4):4–6.
20. Burnett CL, Heldreth B, Bergfeld WF, Belsito D V, Hill RA, Klaassen CD, et al. Safety Assessment of PEGylated Oils as Used in Cosmetics. 2014;33(Supplement 4).
21. Rowe, Raymond C.; Sheskey, Paul J.; Quinn ME. *Handbook of Pharmaceutical Excipient.* 6th ed. Vol. E.28, *Revue des Nouvelles Technologies de l'Information.* Washington DC: Pharmaceutical Press; 2009. 257–262 p.
22. Rowe 2009. = VcYWdd ` d [E] VgbVXZji ^ XVa : mX ^ e ^ Zcih.
23. Sharma S, Alfatah M, Bari VK, Rawal Y, Paul S, Ganesan K. Sphingolipid biosynthetic pathway genes FEN1 and SUR4 modulate amphotericin B resistance. *Antimicrob Agents Chemother.* 2014;58(4):2409–14.
24. Hanani E, Munim A, Sekarini R. Identifikasi Senyawa Antioksidan Dalam Spons Callyspongia Sp Dari Kepulauan Seribu. *Maj Ilmu Kefarmasian.* 2005;2(3):127–33.
25. Regina A, Maimunah M, Yovita L. Penentuan Aktivitas Antioksidan, Kadar Fenolat Total dan Likopen pada Buah Tomat (*Solanum lycopersicum L.*). *J Sains dan Teknol Farm.* 2008;13(1):31–7.
26. Molyneux P. The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating anti-oxidant activity. *Songklanakarin J Sci Technol.* 2004;26(May):211–9.
27. Pisoschi AM, Negulescu GP. Methods for Total Antioxidant Activity Determination: A Review. *Biochem Anal Biochem.* 2012;01(01):1–10.
28. Moon J-K, Shibamoto T. Antioxidant assays for plant and food components. *J Agric Food Chem. Bioact Food Proteins Pept Appl Hum Heal.* 2009;57:1655–1666.
29. Kedare SB, Singh RP. Genesis and development of DPPH method of antioxidant assay. *J Food Sci Technol.* 2011;48(4):412–22.
30. Sastrohamidjojo H. *Spektroskopi.* Jakarta: Liberty; 2007.
31. Cairns D. *Essentials of Pharmaceutical Chemistry Second Edition (Intisari Kimia Farmasi Edisi Kedua).* Penerjemah : Puspita Rini. 2nd ed. Jakarta:

Penerbit Buku Kedokteran EGC; 2009.

32. Prakash, et al. Antioxidant Activity. *Medallion Lab Prog.* 2001;19(2).
33. Purwanto D, Bahri S, Ridjay A. Uji Aktivitas Antioksidan Ekstrak Buah Purnajiwa (*Kopsia arborea* Blume.) dengan Berbagai Pelarut. *Kovalen.* 2017;3(April):24–32.
34. Gilchrest BA. Skin aging and photoaging: An overview. *J Am Acad Dermatol.* 1989;21(3):610–3.
35. W. H. Warren, Jr., A. W. Blackwell, K. J. Kurtz, N. G. Hatsopoulos and MLK. On the sufficiency of the velocity field for perception of heading. *Biol Cybern.* 1991;65(1):311–20.
36. Guinot C, Malvy DJM, Ambroisine L, Latreille J, Mauger E, Tenenhaus M, et al. Relative contribution of intrinsic vs extrinsic factors to skin aging as determined by a validated skin age score. *Arch Dermatol.* 2002;138(11):1454–60.
37. Rexbye H, Petersen I, Johansen M, Klitkou L, Jeune B, Christensen K. Influence of environmental factors on facial ageing. *Age Ageing.* 2006;35(2):110–5.